

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Teaneck Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	21	22	0	.	21	22
AIDS-CD4 Only	32	33	0	.	32	33
HIV Only	43	45	0	.	43	45
-----	-----	---	-----	---	-----	---
Total	96	100	0	.	96	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	29	30	0	.	29	30
5-12	0	0	Black, Not Hispanic	52	54	0	.	52	54
13-19	0	0	Hispanic	13	14	0	.	13	14
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	#	#	-----	-----	---	-----	---	-----	---
40-49	52	54	Total	96	100	0	.	96	100
50+	20	21							
Unk.	0	0							
-----	-----	---							
Total	96	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	27	44	0	0	27	28
Injection drug user (IDU)	18	29	7	21	25	26
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	9	15	16	47	25	26
-----	-----	---	-----	---	-----	---
Total	62	100	34	100	96	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Teaneck Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	0	(.)	#	(#)
Other OI w/o PCP	51	(33)	40	(78)	0	(.)	51	(33)
KS Alone	#	(#)	#	(#)	0	(.)	#	(#)
No Disease Listed	47	(30)	15	(32)	0	(.)	47	(30)
Total	156	(100)	103	(67)	0	(.)	156	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	57	37	0	.	57	37
5-12	0	0	Black, Not Hispanic	82	53	0	.	82	53
13-19	#	#	Hispanic	15	10	0	.	15	10
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	63	40	-----	-----	---	-----	---	-----	---
40-49	53	34	Total	156	100	0	.	156	100
Over 49	19	12							
Unknown	0	0							
Total	156	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	59	48	0	0	59	38
Injection drug user (IDU)	39	31	10	31	49	31
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	15	12	8	25	23	15
Total	124	100	32	100	156	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Teaneck Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	5	5	100%
1986	7	7	100%
1987	9	9	100%
1988	#	#	#
1989	14	14	100%
1990	8	8	100%
1991	12	11	92%
1992	10	8	80%
1993	12	7	58%
1994	13	7	54%
1995	12	5	42%
1996	6	0	0%
1997	7	#	#
1998	6	#	#
1999	7	#	#
2000	7	#	#
2001	6	#	#
2002	#	#	#
2003	5	#	#
2004	#	#	#
-----	-----	-----	-----
Total	156	103	66%